


LONGKOU XINLONG



LK

LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


LK




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com



LK



BRIDGE FITTING




BRIDGE FITTING



POSITON CONE



POSITON CONE



POSITON CONE



FLUSH ISO SOCKET




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

FLUSH ISO SOCKET



LK. B-09
PLUG FOR ISO-HOLE



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. MZ-01	490KN	420KN	7.1
LK. MZ-02-2	490KN	420KN	ON REQUEST
LK. MZ-03	490KN	420KN	20.8
LK. MZ-01-4	490KN	420KN	ON REQUEST



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


FLUSH ISO SOCKET









LK. MZ-01





LK. MZ-02-2



LK. MZ-03



LK. MZ-01-4



L=203/216/258




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

RAISED ISO SOCKET



LK. B-09
PLUG FOR ISO-HOLE



MODEL		Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. LZ-01	LK. LZ-01-1	490KN	420KN	ON REQUEST
	LK. LZ-01-2	490KN	420KN	ON REQUEST
	LK. LZ-01-3	490KN	420KN	ON REQUEST
LK. LZ-02	LK. LZ-02-1	490KN	420KN	ON REQUEST
	LK. LZ-02-2	490KN	420KN	ON REQUEST
	LK. LZ-02-3	490KN	420KN	ON REQUEST





LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

RAISED ISO SOCKET




LK. LZ-01-1





LK. LZ-01-1

H	W	W'	W''
110	124	124	124
ON	144	144	144
REQUEST	184	184	184
	224	224	224




LK. LZ-01-1

LK. LZ-01




LK. LZ-02-1



LK. LZ-02-2

H=110, other sizes according to the customer's request



LK. LZ-02-3

LK. LZ-02




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



RAISED ISO SOCKET



LK. B-09
PLUG FOR ISO-HOLE



LK. LZ-Y-01



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. LZ-Y-01	490KN	420KN	ON REQUEST
-	-	-	-





LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

RAISED ISO SOCKET



LK. LZ-05





LK. LZ-07



LK. B-09

PLUG FOR ISO-HOLE



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. LZ-05	490KN	420KN	ON REQUEST
LK. LZ-07	490KN	420KN	ON REQUEST




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

SAFETY STACKER









LK. AS-1



LK. AS-4



LK. AS-7



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. AS-1	-	410KN	2.6
LK. AS-4	-	410KN	3.9
LK. AS-7	-	410KN	2.5




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


SAFETY STACKER









LK. AS-10



LK. AS-13



LK. AS-16



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. AS-10	-	410KN	2.6
LK. AS-13	-	410KN	1.4
LK. AS-16	-	410KN	3.0



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

SAFETY STACKER









LK. AS-2



LK. AS-5



LK. AS-8



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. AS-2	-	410KN	3.5
LK. AS-5	-	410KN	4.5
LK. AS-8	-	410KN	3.4



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

SAFETY STACKER









LK. AS-11



LK. AS-9



LK. AS-3



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. AS-11	-	410KN	2.6
LK. AS-9	-	410KN	2.8
LK. AS-3	-	410KN	2.6



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


SAFETY STACKER









LK. AS-6



LK. AS-12



LK. AS-15



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. AS-6	-	410KN	2.8
LK. AS-12	-	410KN	3.5
LK. AS-15	-	410KN	2.0





LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

SAFETY STACKER



LK. AS-14

MODEL	Tension BL	Shear BL	Weight (KG)
LK. AS-14	-	410KN	2.6





LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com





LK

POSITION CONE







LK. V-SQ-1

L=203/216/258





LK. V-SQ-3

L=203/216/258



LK. V-SQ-4

L=203/216/258



MODEL	Breaking loads tension	Breaking loads shear	H
LK. V-SQ-1	-	490KN	ON REQUEST
LK. V-SQ-3	-	490KN	ON REQUEST
LK. V-SQ-4	-	490KN	ON REQUEST



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK



POSITION CONE





LK. V-A-02





LK. V-A-01





LK. V-A-03



LK. V-A-04-1



LK. V-A-04-2



MODEL		Breaking loads shear	WEIGHT (KG)
LK. V-A-01		410KN	2.9
LK. V-A-02		410KN	3.0
LK. V-A-03		410KN	2.6
LK. V-A-04	LK. V-A-04-1	410KN	2.6
	LK. V-A-04-2	410KN	2.3




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com


LK

SEMI-AUTOMATIC TWISTLOCK

Working mode ..



Application



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. BS-1	490KN	420KN	7.2
LK. BS-2	490KN	420KN	7.5
LK. BS-3	490KN	420KN	7.1
LK. BS-4	490KN	420KN	5.7
LK. BS-5	490KN	420KN	6.4



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK




SEMI-AUTOMATIC TWISTLOCK





LK. BS-1



LK. BS-2



LK. BS-3




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





SEMI-AUTOMATIC TWISTLOCK



LK. BS-4



LK. BS-5




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

SEMI-AUTOMATIC TWISTLOCK



ACTUATOR POLE

For semi-automatic twistlock

L=MIN 1.8~MAX 10.5 M



LK. J-11



LK. J-13




LK. J-12



LK. J-21

Application




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





MIDLOCKS



LK. ZS-1



LK. ZS-2



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. ZS-1	490KN	420KN	7.2
LK. ZS-2	490KN	420KN	6.9
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





MIDLOCKS



LK. ZS-3



LK. ZS-4



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. ZS-3	490KN	420KN	7.0
LK. ZS-4	490KN	420KN	4.8
-	-	-	-




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

MIDLOCKS









LK. ZS-5



LK. ZS-6



LK. ZS-8



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. ZS-5	-	500KN	6.4
LK. ZS-6	490KN	420KN	6.6
LK. ZS-8	490KN	420KN	6.6




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

TWISTLOCK









LK. XS-1L/R



LK. XS-2L/R



LK. XS-3L/R



MODEL	Breaking loads		WEIGHT (KG)
	tension	shear	
LK. XS-1L/R	490KN	420KN	6.0
LK. XS-2L/R	490KN	420KN	6.3
LK. XS-3L/R	490KN	420KN	5.0



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK


TWISTLOCK









LK.XS-4L/R



LK.XS-5L/R



LK.XS-6L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.XS-4L/R	490KN	420KN	6.3
LK.XS-5L/R	490KN	420KN	6.8
LK.XS-6L/R	490KN	420KN	5.5




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

TWISTLOCK









LK.XS-7L/R



LK.XS-8L/R



LK.XS-9L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.XS-7L/R	490KN	420KN	5.9
LK.XS-8L/R	490KN	420KN	6.7
LK.XS-9L/R	490KN	420KN	5.5



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

TWISTLOCK









LK. XS-10L/R



LK. XS-11L/R



LK. XS-12L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. XS-10L/R	490KN	420KN	6.5
LK. XS-11L/R	490KN	420KN	5.9
LK. XS-12L/R	490KN	420KN	5.3




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

TWISTLOCK









LK. XS-13L/R



LK. XS-14L/R



LK. XS-15L/R



MODEL	Breaking loads	Breaking loads	WEIGHT (KG)
	tension	shear	
LK. XS-13L/R	490KN	420KN	7.3
LK. XS-14L/R	490KN	420KN	6.5
LK. XS-15L/R	490KN	420KN	5.3




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

TWISTLOCK



LK. CS-3-00



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. CS-3-00	350KN	250KN	4.7
-	-	-	-
-	-	-	-




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


DOVETAIL PLATE



Application



Welding recommend



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. YZ-04-55Q	490KN	-	5.1
LK. YZ-05-55Q	490KN	-	6.5
LK. YZ-17-55Q	490KN	-	2.9
LK. YZ-02-55-2	490KN	-	ON REQUEST

LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com






LK



DOVETAIL PLATE






LK. YZ-17-55Q





LK. YZ-04-55Q



LK. YZ-05-55Q



LK. YZ-02-55-2




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


DOVETAIL PLATE



Application



Welding recommend



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.YZ-01-45Q	490KN	-	4.7
LK.YZ-02-45Q	490KN	-	3.0
LK.YZ-03-45Q	490KN	-	3.3
LK.YZ-01-45-2	490KN	-	ON REQUEST

LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com




LK


DOVETAIL PLATE








LK.YZ-01-45Q





LK.YZ-02-45Q



LK.YZ-03-45Q



LK.YZ-01-45-2




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


DOVETAIL PLATE



Application



Welding recommend



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. TZ-01	490KN	-	5.3
LK. TZ-01-2	490KN	-	ON REQUEST
LK. YZ-Y-11	490KN	-	3.1
LK. YZ-Y-12	490KN	-	3.3



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK




DOVETAIL PLATE





LK.YZ-Y-11




LK.YZ-Y-12



LK.TZ-01



LK.TZ-01-2



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



DOVETAIL TWISTLOCK



LK.DS-1L/R



LK.DS-2L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.DS-1L/R	490KN	420KN	7.3
LK.DS-2L/R	490KN	420KN	7.2
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



DOVETAIL TWISTLOCK



LK.DS-3L/R



LK.DS-4L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.DS-3L/R	490KN	420KN	7.4
LK.DS-4L/R	490KN	420KN	7.0
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





DOVETAIL TWISTLOCK



LK. DS-5H. L/R



LK. DS-6L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DS-5H. L/R	490KN	420KN	8.2
LK. DS-6L/R	490KN	420KN	8.3
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





DOVETAIL TWISTLOCK



LK. DS-7L/R



LK. DS-8T L/R



MODEL	Breaking loads	Breaking loads	WEIGHT (KG)
	tension	shear	
LK. DS-7L/R	490KN	420KN	8.2
LK. DS-8T L/R	490KN	420KN	9.0
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





DOVETAIL TWISTLOCK



LK. DS-9T L/R



LK. DS-10L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DS-9T L/R	490KN	420KN	8.4
LK. DS-10L/R	490KN	420KN	8.0
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





DOVETAIL TWISTLOCK



LK. DS-11Y. L/R



LK. DS-12Y. L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DS-11Y. L/R	420KN	420KN	5.2
LK. DS-12Y. L/R	360KN	420KN	6.2
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



DOVETAIL TWISTLOCK



LK.DS-17Y. L/R



LK.DS-19Y. L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.DS-17Y. L/R	420KN	420KN	7.5
LK.DS-19Y. L/R	420KN	420KN	6.4
—	—	—	—



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK





DOVETAIL TWISTLOCK



LK. DS-20L/R



LK. DS-21H. L/R



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DS-20L/R	490KN	420KN	10.5
LK. DS-21H. L/R	490KN	420KN	8.0
-	-	-	-






LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

POSITION CONE



LK. V-S-10

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. V-S-10	-	490KN	5.7
-	-	-	-
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



D-RINGS




LK. DT-04



LK. DT-05




LK. DC-02



LK. DC-01


ANGLE	LENGTH	WIDTH	HEIGHT
45°	178MM	120MM	22MM
55°	174MM	120MM	28MM

Application



LK. DT-04

DOVETAIL PLATE



LK. DT-05

DOVETAIL PLATE

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DT-04	490KN	—	ON REQUEST
LK. DT-05	350KN	—	ON REQUEST

LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com





LK

LASHING EYE PLATE

LK. YB-01-1





LK. YB-01-2





LK. YB-01

LK. YB-02-1



LK. YB-02-2



LK. YB-02

MODEL		Breaking loads tension	WEIGHT (KG)
LK. YB-01	LK. YB-01-1	490KN	ON REQUEST
	LK. YB-01-2	490KN	ON REQUEST
LK. YB-02	LK. YB-02-1	490KN	ON REQUEST
	LK. YB-02-2	490KN	ON REQUEST






LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

LASHING EYE PLATE



LK. YB-03

MODEL		Breaking loads tension	WEIGHT (KG)
LK. YB-03	LK. YB-03-1	490KN	ON REQUEST
	LK. YB-03-2	490KN	ON REQUEST
	LK. YB-03-3	490KN	ON REQUEST




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

LASHING EYE PLATE



MODEL		Breaking loads tension	WEIGHT (KG)
LK. YB-04	LK. YB-04-1	490KN	ON REQUEST
	LK. YB-04-2	490KN	ON REQUEST
	LK. YB-04-3	490KN	ON REQUEST



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



D-RINGS




LK. DC-01





LK. DC-02



LK. DC-03



LK. DC-05



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DC-01	350KN	—	3.0
LK. DC-02	490KN	—	4.6
LK. DC-03	98KN	—	0.5
LK. DC-05	196KN	—	1.3




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

D-RINGS





LK. DT-01



LK. DC-02




LK. DT-10




LK. DC-01

Application



LK. DT-01



LK. DT-10

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DT-01	490KN	420KN	11.2
LK. DT-10	350KN	-	8.8



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK



D-RINGS




LK. DT-04



LK. DT-05




LK. DC-02



LK. DC-01


ANGLE	LENGTH	WIDTH	HEIGHT
45°	178MM	120MM	22MM
55°	174MM	120MM	28MM

Application



LK. DT-04

DOVETAIL PLATE



LK. DT-05

DOVETAIL PLATE

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DT-04	490KN	—	ON REQUEST
LK. DT-05	350KN	—	ON REQUEST



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK

D-RINGS






LK. DT-02




LK. DT-03




LK. DT-09




LK. DC-01



LK. DC-02



LK. DC-01



Rotate to cooperate

LK. YZ-Y-12

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DT-02	350KN	-	5.1
LK. DT-03	490KN	-	5.7
LK. DT-09	350KN	-	7.3



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK


HOOK & CHAIN



LK. J-08



LK. J-03



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. J-08	195KN	—	ON REQUEST
LK. J-03	490KN	—	ON REQUEST
—	—	—	—




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

HOOK & CHAIN



Tools



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. J-04	195KN	-	5.2
-	-	-	-
-	-	-	-




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


EXTENSION ROD



LK. JG-1



LK. JG-2



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. JG-1	490KN	—	ON REQUEST
LK. JG-2	490KN	—	ON REQUEST
—	—	—	—



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.



Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK


EXTENSION ROD



LK. JG-15L/R



LK. JG-15 L



LK. JG-15 R

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. JG-15L/R	490KN	-	ON REQUEST
-	-	-	-
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK


EXTENSION ROD



LK. J-05



LK. J-06



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. JG-05	490KN	—	ON REQUEST
LK. JG-06	490KN	—	ON REQUEST
—	—	—	—




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com


LK

LASHING BAR


LK. LG-1




LK. LG-2



LK. LG-3



LK. LG-4



MODEL	D		Breaking loads	Breaking loads	WEIGHT (KG)
			tension	shear	
LK. LG-1	Ø22	Ø25	410/490KN	—	ON REQUEST
LK. LG-2	Ø22	Ø25	410/490KN	—	ON REQUEST
LK. LG-3	Ø22	Ø25	410/490KN	—	ON REQUEST
LK. LG-4	Ø22	Ø25	410/490KN	—	ON REQUEST




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

LASHING BAR



MODEL	D		Breaking loads	Breaking loads	WEIGHT (KG)
			tension	shear	
LK.LG-5	22	25	410/490KN	-	ON REQUEST
LK.LG-8	22	25	410/490KN	-	ON REQUEST
LK.LG-11	22	25	410/490KN	-	ON REQUEST
LK.LG-12	22	25	410/490KN	-	ON REQUEST
LK.LG-16	22	25	410/490KN	-	ON REQUEST



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com

LK


BRIDGE FITTING




LK.QM-2



LK.QM-5




LK.QM-6




Application


LK.QM-02



LK.QM-05



LK.QM-06



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.QM-2	98KN	—	ON REQUEST
LK.QM-5	196KN	—	8.5
LK.QM-6	196KN	—	12.6



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com


LK

TURNBUCKLE



LK. DL-3

MIN 880~MAX 1320



Turnbuckles Spanner

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DL-3	490KN	-	ON REQUEST
-	-	-	-
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com


LK

TURNBUCKLE




LK. DL-5

MIN950~MAX 1450



Turnbuckles Spanner



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. DL-5	490KN	-	ON REQUEST
-	-	-	-
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK

TURNBUCKLE



LK. GL-4



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. GL-4	490KN	-	ON REQUEST
-	-	-	-
-	-	-	-



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.


Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



TURNBUCKLE



LK. GL-2



LK. GL-3



Turnbuckles Spanner

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. GL-2	490KN	-	ON REQUEST
LK. GL-3	490KN	-	ON REQUEST
-	-	-	-




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com


LK

TURNBUCKLE


LK. YL-2



LK. YL-4



LK. YL-6



Turnbuckles Spanner

MODEL	D		Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. YL-2	Ø22	Ø25	410/490KN	—	ON REQUEST
LK. YL-4	Ø22	Ø25	410/490KN	—	ON REQUEST
LK. YL-6	Ø22	Ø25	410/490KN	—	ON REQUEST




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
 Fax : +86 - 535 - 8510900
 Mobile phone : +86 - 139 5459 5588
 E-mail : xinlong_lk@hotmail.com


LK

TURNBUCKLE


LK. BL-1





MIN 1090~MAX 1510



LK. BL-4



MIN 1100~MAX 1485



Turnbuckles Spanner

MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. BL-1	490KN	-	ON REQUEST
LK. BL-4	490KN	-	ON REQUEST




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com


LK

TURNBUCKLE

LK. ZL-1




LK. DL-4



Application



Turnbuckles Spanner



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK. ZL-1	490KN	-	ON REQUEST
LK. DL-4	490KN	-	ON REQUEST



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK





CLOVERLEAF SOCKET-ELEPHANT FOOT FITTING



LK.WZ-01



LK.WZ-02



MODEL	Breaking loads tension	Breaking loads shear	WEIGHT (KG)
LK.WZ-01	294KN	—	7.9
LK.WZ-02	294KN	—	5.1
—	—	—	—




LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com

LK



STORAGE BIN



LASHING RATCHET BELT



LONGKOU XINLONG MACHINERY EQUIPMENT CO., LTD.

Tel : +86 - 535 - 8520100
Fax : +86 - 535 - 8510900
Mobile phone : +86 - 139 5459 5588
E-mail : xinlong_lk@hotmail.com